


GREGORINI SHIPYARD

di MAX 37 Fly



PROPRIETIES

Length length overall: mt. 11,70

Length hull: mt. 9,90

Max breadth: mt. 3,80

Immersion maximum: mt. 0,90

Light displacement : kg 6500

Maximum power: 2x400 HP (FPT)

Fuel: Lt. 900

Water tank capacity: Lt. 240

Berths : 4+2

Number maximum of persons: 10

CE omologation: CATEGORY B

ELECTRIC AND MECHANICS EQUIPMENT (STANDARD)

Electric system

Electric system voltage: 12 V

Main electric switchboard: internal

Dashboard with all control

Strumental panel dashboard with VDO instrument including: rev counter, thermometer, oil manometers, counter, log, water level, fuel level, alarm buzzer oil in the bilge

Dashboard panels with: compass "Danforth" (4" ½)

Digital flaps indicator

Recharger (60 A)

N° 3 batteries (220 A)

N° 3 battery switches

Parallel battery

Shore power cable (30A)

Electrical outlet (12V) bathroom, cabin and dinette

Electrical outlet (220V) bathroom, cabin, dinette and kitchen

Spotlights in all the cabins

Cockpit lights

ELECTRONIC INSTRUMENTS

Raymarine display E97 9" WIDE hybrid touch echo sounder incorporated

Transducer in bronze inclined B60 tilt 12°- 20°

VHF Ray 49E gray with antenna and folding base

FUEL SYSTEM

N°2 fuel tanks in stainless steel with electric and optic fuel level indicators - capacity 830 lt.

N°1 fuel settling tank in stainless steel (67 lt.)

N°2 fuel embarkation caps (left and right)

Separator fuel filters

Air hole gas oil fuel tanks air pipe

FRESH WATER SYSTEM

Fresh water tank with electric level – capacity 240 lt

N°1 fresh water embarkation cap

Fresh water pressure pump with 4 lt expansion tank

Electric boiler 220 v da 30 lt.

GREY WATER SYSTEM

Fiberglass grey water tank

Grey water pump

Grey water tank levels with manual and automatic emptying

Air pipe hidden under air intake

Little tank for shower and wash basin

BLACK WATER SYSTEM

Black water structural tank

Seawater pump with siphon

Macerator pump on toilet

Macerator waste pump with ant siphon

in bow locker with anti-odors filter black water air pipe in fore locker with odour filter

Float immersion with digital control panel on panel control wc

Emptying tank with manual or time control

BILGE PUMP SYSTEM

N°3 automatic bilge pumps

N° 3 manual bilge pumps

FLAPS SYSTEM

Hydraulic flaps system (12V) Bennet marine with plate stainless steel

Digital flaps indicator

WHEELHOUSE

Hydraulic wheelhouse with autopilot

Wheel helm

ENGINE LEVERS

Electronic remote control Flex ball

Gear boxes Zf with electrical control

Electric trolling valve

WINCH SYSTEM

Electric windlass (1000w) with foot switches

Double control for windlass

Bow anchor support

Bruce anchor (13 kg)

50 mt of galvanized calibrated chain 8mm

SHAFT LINE PROPULSION

Mechanical seals PSS for axis propellers

System complete of zincs for galvanic currents

Engine hatch openable with electric actuators

Nibrals

Acoustic isolation engine room

SAFETY EQUIPMENT

Engine room fire system (3kg)

N°3 fire extinguisher cabin, guest cabin, dinette

Emergency closure tanks controlled by distance

Emergency closure vents controlled by distance

STANDARD EQUIPMENT

Oak interiors – Teak flooring

Cabin doors sliding in plexiglass with lock

Lockers under sofa

Sliding curtains porthole

DINETTE

Sofa transformable in two beds with cushions

Folding table in cherry wood with piston

Lockers under the sofa

KITCHEN

Kitchen furniture with sink in steel inox

Electric hob with two flames

Under sink with drawers and place for refrigerator and microwave

Refrigerator (12V – 65 lt.)

BATHROOM

Bathroom furniture with top in granite, sink integrated and door above the sink

Pensile furniture with a mirrored door

Electric wc

Circular shower with door in plexiglass and teak grating

BOW CABIN

Double bed with mattress and cushions

Drawers under the bad

Lockers under the bed

Reading spotlights

Wardrobe with doors

Pensile cupboard with doors

Side – shelf

Mirror on bulkhead

GUEST CABIN

N°2 Bunk beds

Wardrobe with door

Reading lights

EXTERNAL STANDARD EQUIPMENT

Hull

Gelcoat

Fiberglass stratified by hand with resin vinylester

External layer with core inside

Internal layer in fiberglass with resin isophatilic

Waterline strip

Antifouling

Fender profil Sphaera 25mm in steel inox and pvc

DECK

Gelcoat

Fiberglass stratified by hand

Core inside

STRUCTURE

In layered expanded polyurethane longitudinal frames

Bulkheads in plywood

NAVIGATION LIGHTS

Side lights

Stern light

Stainless steel light mass with 360°

MANHOLE AND PORTHOLE

N°1 aluminium hatch for bow cabin with dark curtain

N° 1 hatch to Flying bridge

N° 4 portholes in chromed brass with plexi

DECK AND COCKPIT EQUIPMENT

Handrail in steel inox AISI 316

Chain locker with chain drain

N°6 bitts mooring in stainless steel

N°2 stainless steel fairleads at stern

N°4 stainless steel fishing rod holders

Acoustic alarm

N°2 wipers with washer

Helmsman seat

Sliding door with stainless steel frame and glass

Bumper cockpit

Aft sofa

Transom door in 2 movements

Stern platform in vtr assembled with bolts, closed and filled up with polyurethane foam

Air intake for engine room

Descharge pipe in bronze

Exhaust silencer submerged with engine exhaust minimum

Self emptying cockpit

Non- slip surface for deck and cockpit

Cockpit furniture with sink and tap cold water

FLYING BRIDGE AREA

Convertible sofa

Helmsman seat

Rool bar

Steering position with the following :

Consolle with instruments and compass

Cover for console

Engine remote controls flexiball

Hidrauli rudder system

STANDARD ENGINES:

2 ENGINES FPT NEF 400 common rail 400 hp

OPTIONAL ENGINES:

2 ENGINES YANMAR (8LV370 common rail 370HP)

2 ENGINES CUMMINS (QSB6.7 ID/HO) 380HP

OPTIONAL EQUIPMENT:

- Cockpit sliding cover
- Total waterproof cover for flyng bridge

- Cushions for sun area at bow
- Stereo cd with 4 loudspeakers
- Cockpit shower hot and cold water
- Cocpit washing pump
- Sink for fish with pump
- Fridge 49 lt
- Refrigerator for fish
- Microwave oven
- Cockpit lights
- Underwater lights under platform
- Searchlight
- Generator 3 kw
- Generator 4 kw
- Generator 5 kw
- Bow thruster
- Webasto fuel heater
- Air conditioning (12000 BTU)
- Teak deck for cockpit and platform and steps fly
- Aluminium divergent 6 mt to one cross (couple)
- Aluminium divergent 6 mt to two cross (couple)
- Aluminium divergent 7,50 mt to one cross (couple)
- Gelcoat colour upon request
- Hull painting mat or brilliant in acrylic

CANTIERE NAVALE GREGORINI Srl
Zona artigianale Cerbara, sn

61030 PIAGGE (PU)
P.I. e C.F. 02357160411
Tel.: 0721.890028 – fax: 0721.890949
e-mail: info@cantierenavalegregorini.it
Iscritta alla CCIAA di PU cap.soc. i.v. 20.000